



Cleaning Agent 761.8

Meltable powder to clean roller application units in which reactive PUR hot melt adhesives are processed.

Advantages

- Good mixing properties with PUR adhesives
- Has the same processing temperature as the KLEIBERIT PUR adhesives

Properties of the hot melt cleaning agent

Specific gravity:	approx. 1.22 g/cm ³
Colour:	white
Processing temperature:	100 - 140 °C
Identification:	not required according to the German hazardous substances regulations GefStoffV, (see our safety data sheet)

Attention:

Cleaning Agent 761.8 gives off vapours, even if the recommended working temperature has been observed. Therefore, precautions should be taken to eliminate the vapours, e.g. by using a suitable ventilation system.

Application techniques

When using reactive PUR hot-melt adhesives, it is important that the roller application plant be thoroughly cleaned each time that there is an extended period of inactivity (e.g. overnight or at week end), or when there is a system change. This is performed by coating and melting the cleaning agent onto the parts affected, allowing it to work-in, and then removing it when done.

Attention!

Before PUR hot melt adhesives are again used in these machines, Cleaning Agent 761.8 has to be completely drained off from the application rollers.

If stored or transported at higher temperatures, Cleaning Agent 761.8 could have clumps. This does not affect the effectiveness of the cleaning agent.

Packaging

Fiber Drum, 136 kg net
Plastic Pail, 20 kg net

Storage

KLEIBERIT Cleaning Agent 761.8 can be stored for approximately 1 year.
Keep in a cool and dry place.

EX1109; replaces previous editions



KLEIBERIT®

KLEBSTOFFE • ADHESIVES

Waste Disposal

Disposal of contents and/or containers should comply with all applicable federal, state and local regulations.

Our containers are made of recyclable material.

Service

Our application department may be consulted at any time without obligation. The statements made herein are based on our experience gained to date. They are to be considered as information without obligation. Please test and establish for yourself the suitability of our products for your particular purposes. No liability exceeding the value of our product can be derived from the foregoing statements. This also applies to the technical consultancy service which is rendered free of charge and without obligation.